




ViewMaster Pro Entry Level Motorised Screen



The ViewMaster has been pulled out of retirement and given a new lease on life. This entry level screen has been given a serious make over to meet today's high standards, providing a combination of cost conscious design and commercial features.

With IR, Contact Closure and 12v trigger as standard the ViewMaster Pro offers many of the control options needed in the audio visual environment.

The ViewMaster Pro offers multi-position brackets, both wall and ceiling for simple installation and is available with an optional in-ceiling screen box.



BENEFITS

- Universal bracket system
- Quiet motor system, C Tick Approved
- Large diameter 63mm heavy duty roller, for improved layflat
- Premium slat rod design
- Integrated IR, Contact Closure control & 12v Trigger
- Designed & built in Australia to meet Australian design requirements
- Surface Fire Rated
- Low VOC water based black boarder paint



Item No	Inch Diagonal	Image Size mm	Format
4508419	84"	1280 x 1705	Video 4:3
4509619	96"	1465 x 1950	Video 4:3
4510019	100"	1525 x 2035	Video 4:3
4511019	110"	1676 x 2235	Video 4:3
4512019	120"	1830 x 2440	Video 4:3
4508429	84"	1045 x 1860	HDTV 16:9
4509629	96"	1195 x 2125	HDTV 16:9
4510029	100"	1245 x 2215	HDTV 16:9
4511029	110"	1370 x 2435	HDTV 16:9
4512029	120"	1495 x 2655	HDTV 16:9
4508469	84"	1130 x 1810	16:10
4509669	96"	1295 x 2070	16:10
4510069	100"	1345 x 2155	16:10
4511069	110"	1480 x 2370	16:10
4512069	120"	1615 x 2585	16:10


Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Custom Sizes & Formats available upon request.

PRODUCT FEATURES

- Head Box:** Powder Coat White as standard
- Surface:** Unity White FG Screen - Gain 1.1
Refer to page 5 for surface options
- Borders:** 50mm Sides & Bottom with 300mm adjustable top black leader.
- Brackets:** One piece clip-on L bracket suitable for wall or ceiling installation.
- Roller Diameter:** 63mm Heavy Duty
- Sizes:** 84" to 120" Custom Sizes, additional leaders & Formats available upon request.
- Options:** Screen Box NB: not interchangeable with the ElectriCinema Screen Box.

Tech Drawing
Hyperlink :



Lecturer COMMERCIAL MOTORISED SCREEN

The Plain Jane of the projection screen world, with basic wall switch operation and twin hanging points is perfect for auditoriums and halls who need a simple solution for a larger screen type.

This product has no integrated control but utilises a hard wired wall switch.



BENEFITS

- Sizes 130" to 200" diagonal
- Superior lay flat
- Quiet operation




APPLICATIONS

- Government Projects
- Boardroom Presentations
- Educational & Training

PRODUCT FEATURES

- Head Box:** Steel Head Box in Powder Coat Matt Black - White Optional no charge.
- Surface:** Unity White FG up to 150" *
Unity White PVC above 150" *
Refer to page 5 for surface options
- Borders:** 50mm Sides & Bottom - (Square Format 40mm Sides & no top or bottom) & 300mm top black leader.
- Brackets:** Standard with Steel 8mm Eyebolts
- Sizes:** 130" Diagonal to 200" Diagonal.
Custom Sizes & Formats available upon request.
- Roller Diameter:** 80mm Heavy Duty
- Options:** Flat Ceiling Brackets - Custom Colours
- Extra Top Masking - RTS Remote.
- Top Leader:** 300mm standard, 600mm maximum optional upon request.

Tech Drawing
Hyperlink :



N17821

Item No	Inch Diagonal	Image Size mm	Format	Weight kg
0527509	n/a	2750 x 2750	Square	32
0530509	n/a	3050 x 3050	Square	35
0535509	n/a	3550 x 3550	Square	48
0541709	n/a	4170 x 4170	Square	55
0513019	130"	1980 x 2640	Video 4:3	29
0515019	150"	2285 x 3050	Video 4:3	33
0518019	180"	2745 x 3660	Video 4:3	46
0520019	200"	3050 x 4065	Video 4:3	52
0513029	130"	1615 x 2880	HDTV 16:9	30
0515029	150"	1865 x 3320	HDTV 16:9	38
0518029	180"	2240 x 3985	HDTV 16:9	50
0513069	130"	1750 x 2800	16:10	30
0514069	140"	1884 x 3015	16:10	33
0515069	150"	2020 x 3230	16:10	38
0518069	180"	2425 x 3880	16:10	50

Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Surface Fire Rated

Custom Sizes & Formats available upon request.

* Only applies to standard screens.

Note: ElectriCinema IP screens are 45mm longer than the original ElectriCinema Screen, if screen is to be installed into an existing screen box please contact the sales office for sizing information.

ElectriCinema

HI CONTRAST GREY


The ElectriCinema has long been the premium projection screen of choice for the AV industry, with all the high quality features that you come to expect from a Screen Technics product, rugged design, contemporary good looks and ease of installation with the universal bracket system.

Control

Fully integrated with Connect IP, 12v trigger, contact closure and IR plus the ability to link & group switch with other Connect control devices

Why choose a Grey Screen ?

When you don't have full control of ambient light conditions the colour grey assists the projector in improving black levels in the colour spectrum by shifting the contrast band towards the darker scale. This improves overall colour saturation but with the loss of some brightness normally well compensated for by today's modern projectors.




What is a Lambertian Screen ?

The Hi Contrast Grey has a maximum gain of 0.8 which by definition creates the lambertian effect of a 180 degrees wide viewing cone, with little brightness drop off when viewed from an extreme angle. Perfectly suitable for public space installations with a wide audiences.

PRODUCT FEATURES ELECTRICINEMA

- Description:** Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control.
- Head Box:** Powder Coat White as standard with Silver or Black as same cost option.
- Surface:** Hi Contrast Grey - Gain 0.8
- Borders:** 50mm Sides & Bottom with 300mm adjustable top black leader.
- Brackets:** One piece clip-on L bracket suitable for wall or ceiling installation.
- Sizes:** 72" Diagonal to 150" Diagonal. Custom Sizes & Formats available upon request.
- Roller Diameter:** Small Canister - 53mm Heavy Duty
Large Canister - 80mm Heavy Duty
- Options:** Extra Top Masking - RF RTS Remote, custom powder coat colours.
- Top Leader:** For sizes 100" and under the maximum total top black leader available is 500mm, for screen sizes over 100" the maximum top black leader available is 600mm.

Tech Drawing
Hyperlink :



Surface Fire Rated

Item No	Inch Diagonal	Image Size mm	Format	Weight kg
0607218-S	72"	1100 x 1465	Video 4:3	14
0608418-S	84"	1280 x 1705	Video 4:3	17
0609618-S	96"	1465 x 1950	Video 4:3	18
0610018-S	100"	1525 x 2035	Video 4:3	19
0611518-L	115"	1755 x 2340	Video 4:3	31
0613018-L	130"	1980 x 2640	Video 4:3	34
0615018-L	150"	2285 x 3050	Video 4:3	39
0607228-S	72"	895 x 1595	HDTV 16:9	15
0608428-S	84"	1045 x 1860	HDTV 16:9	17
0609228-S	92"	1145 x 2035	HDTV 16:9	18
0609628-S	96"	1195 x 2125	HDTV 16:9	18.5
0610028-S	100"	1245 x 2215	HDTV 16:9	19
0611028-L	110"	1370 x 2435	HDTV 16:9	31
0611528-L	115"	1430 x 2545	HDTV 16:9	32
0612028-L	120"	1495 x 2655	HDTV 16:9	33
0613028-L	130"	1615 x 2880	HDTV 16:9	37
0615028-L	150"	1865 x 3320	HDTV 16:9	45.5
0607268-S	72"	970 x 1550	16:10	15
0608468-S	84"	1130 x 1810	16:10	17.5
0609268-S	92"	1240 x 1980	16:10	18
0609668-S	96"	1295 x 2070	16:10	18.5
0610068-S	100"	1345 x 2155	16:10	19
0611068-L	110"	1480 x 2370	16:10	31
0612068-L	120"	1615 x 2585	16:10	32
0613068-L	130"	1750 x 2800	16:10	35
0614068-L	140"	1885 x 3015	16:10	39
0615068-L	150"	2020 x 3230	16:10	44

Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Note: ElectriCinema IP screens are 45mm longer than the original ElectriCinema Screen, if screen is to be installed into an existing screen box please contact the sales office for sizing information.

ElectriCinema PREMIUM MOTORISED SCREEN



Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.


Surface Fire Rated



PRODUCT FEATURES ELECTRICINEMA

- Description:** Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control.
- Head Box:** Powder Coat White as standard with Silver or Black as same cost option.
- Surface:** Unity White FG up to 150" *
Unity White PVC above 150" *
Refer to page 5 for surface options
- Borders:** 50mm Sides & Bottom with 300mm adjustable top black leader.
- Brackets:** One piece clip-on L bracket suitable for wall or ceiling installation.
- Sizes:** 72" Diagonal to 300" Diagonal. Custom Sizes & Formats available upon request.
- Roller Diameter:** Small Canister - 53mm Heavy Duty
Large Canister - 80mm Heavy Duty
- Options:** ChromaKey Surface, Extra Top Masking, RF RTS Remote, custom powder coat colours.
- Top Leader:** For sizes 100" and under the maximum total top black leader available is 500mm, for screen sizes over 100" the maximum top black leader available is 600mm.

Tech Drawing
Hyperlink :



N17821

The ElectriCinema has long been the premium projection screen of choice for the AV industry, with all the high quality features that you come to expect from a Screen Technics product, rugged design, contemporary good looks and ease of installation with the universal bracket system.

Control

Full integrated with Connect IP, 12v trigger, contact closure and IR plus the ability to link & group switch with other Connect control devices

Item No	Inch Diagonal	Image Size mm	Format	Weight kg
0607219-S	72"	1100 x 1465	Video 4:3	14
0608419-S	84"	1280 x 1705	Video 4:3	17
0609619-S	96"	1465 x 1950	Video 4:3	18
0610019-S	100"	1525 x 2035	Video 4:3	19
0611519-L	115"	1755 x 2340	Video 4:3	31
0613019-L	130"	1980 x 2640	Video 4:3	34
0615019-L	150"	2285 x 3050	Video 4:3	39
0618019-L	180"	2745 x 3660	Video 4:3	52
0620019-L	200"	3050 x 4065	Video 4:3	62
0607229-S	72"	895 x 1595	HDTV 16:9	15
0608429-S	84"	1045 x 1860	HDTV 16:9	17
0609229-S	92"	1145 x 2035	HDTV 16:9	18
0609629-S	96"	1195 x 2125	HDTV 16:9	18.5
0610029-S	100"	1245 x 2215	HDTV 16:9	19
0611029-L	110"	1370 x 2435	HDTV 16:9	31
0611529-L	115"	1430 x 2545	HDTV 16:9	32
0612029-L	120"	1495 x 2655	HDTV 16:9	33
0613029-L	130"	1615 x 2880	HDTV 16:9	37
0615029-L	150"	1865 x 3320	HDTV 16:9	45.5
0616029-L	160"	1995 x 3545	HDTV 16:9	50
0617029-L	170"	2115 x 3765	HDTV 16:9	56
0618029-L	180"	2240 x 3985	HDTV 16:9	61
0607269-S	72"	970 x 1550	16:10	15
0608469-S	84"	1130 x 1810	16:10	17.5
0609269-S	92"	1240 x 1980	16:10	18
0609669-S	96"	1295 x 2070	16:10	18.5
0610069-S	100"	1345 x 2155	16:10	19
0611069-L	110"	1480 x 2370	16:10	31
0612069-L	120"	1615 x 2585	16:10	32
0613069-L	130"	1750 x 2800	16:10	35
0614069-L	140"	1885 x 3015	16:10	39
0615069-L	150"	2020 x 3230	16:10	44
0616069-L	160"	2155 x 3450	16:10	50
0617069-L	170"	2290 x 3665	16:10	56
0618069-L	180"	2425 x 3878	16:10	61

- * Only applies to standard screens.
- Not GreenGuard certified this size

ElectriCinema XL

PREMIUM MOTORISED SCREEN

In 2012 Screen Technics released the ElectriCinema XL into the market. Up till then if you required a screen larger than 200" diagonal, you had to deal with our Chancellor range of screens, which was a basic heavy duty staging product, but now with the XL series you can expect all the designer good looks and leading edge functionality that the ElectriCinema is justly famous for. These features include the internally mounted Connect Motor Control device with integrated IP, 12v trigger, contact closure & IR remote control and flexible bracketing system.

Since its release the ElectriCinema XL has dominated the market and continues to be screen of choice for any large venue.

BENEFITS

- Sizes up to 300" Diagonal.
- Adjustable pick up point locations
- Connect Control System with IP, 12v Trigger. IR Control and contact close.
- Designer Good Looks.
- Surface Fire Rated

APPLICATIONS

- Home Theatre
- Boardroom Presentations
- Educational & Training Facilities




Item No	Inch Diagonal	Image Size mm	Format	Weight kg
0622519-XL	225"	3430 x 4570	Video 4:3	145
0625019-XL	250"	3810 x 5080	Video 4:3	160
0627519-XL	275"	4190 x 5590	Video 4:3	170
0630019-XL	300"	4570 x 6100	Video 4:3	185
0620029-XL	200"	2490 x 4425	HDTV 16:9	140
0622529-XL	225"	2800 x 4980	HDTV 16:9	155
0625029-XL	250"	3115 x 5535	HDTV 16:9	170
0627529-XL	275"	3425 x 6085	HDTV 16:9	185
0620069-XL	200"	2695 x 4310	16:10	140
0622569-XL	225"	3030 x 4850	16:10	150
0625069-XL	250"	3365 x 5385	16:10	165
0627569-XL	275"	3705 x 5925	16:10	180

PRODUCT FEATURES ELECTRICINEMA XL

- Description:** Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control.
- Head Box:** Colour to be specified at time of order, standard powder Coat options are White, Silver or Black. Custom colours are available upon request.
- Surface:** Unity White PVC - Gain 1.0
Refer to page 5 for surface options
- Borders:** 50mm Sides & Bottom with adjustable top black leader. Leader length needs to be specified at time of order.
- Brackets:** Load Rated M10 Eyebolts
- Sizes:** 200" Diagonal to 300" Diagonal.
Custom Sizes & Formats available upon request.
- Roller Diameter:** 150mm Heavy Duty
- Options:** Extra Top Masking - RF
RTS Remote or 4 Core Wall
Switch, custom powder coat colour.
To be specified at time of order.
- Top Leader:**

Tech Drawing
Hyperlink :




Custom Sizes & Formats available upon request.

Not to be used in conjunction with the ElectriCinema Screen Box.

Due to the size and weight of this product freight costs can be significant, please allow for this in your tendering process.

Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

The ElectriCinema XL utilise load rated M10 Eyebolts and requires at least 6 fixing points.




Large Commercial ADMIRAL

For projects that require a motorised screen with an image width greater than 6100mm, the bottom roller design gives the best possible lay flat for these challenging installations.

Site requirements normally dictate the use of a custom size screen in these larger venues.
Please seek advice from the sales department.

Due to the size and weight of this product freight costs can be significant, please allow for this in your tendering process.



BENEFITS

- Bottom roller design
- Steel box frame construction
- Custom sizes and formats available
- Surface Fire Rated

APPLICATIONS


- 6100mm to 13800mm in width
- Multi purpose rooms
- Conference Rooms
- Educational Facilities



P1000 Uni-Strut
Bracket System

PRODUCT FEATURES

- Description:** Large Commerical motorised screen
- Head Box:** Matt Black.
- Surface:** Unity White PVC - Gain 1.0
Refer to page 5 for surface options
- Borders:** 50mm Sides & 200mm Bottom, top leader length needs to be specified at time of order.
- Brackets:** P1000 Uni-Strut Bracket System
- Sizes:** 350" Diagonal to 550" Diagonal.
Custom Sizes & Formats available upon request.
- Roller Diameter:** 150mm Heavy Duty
- Options:** Extra Top Masking, Connect Control, custom powder coat colours.
- Top Leader:** To be specified at time of order.
- Tech Drawing Hyperlink :**



Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Item No	Inch Diagonal	Image Size mm	Format	Weight kg
0965009	n/a	6500 x 6500	Square	310
0970009	n/a	7000 x 7000	Square	330
0980009	n/a	8000 x 8000	Square	370
0935019	350"	5330 x 7110	Video 4:3	335
0940019	400"	6100 x 8130	Video 4:3	380
0945019	450"	6860 x 9150	Video 4:3	420
0950019	500"	7620 x 10160	Video 4:3	460
0955019	550"	8380 x 11180	Video 4:3	500
0960019	600"	9140 x 12192	Video 4:3	540
0968019	680"	10350 x 13800	Video 4:3	620
0930029	300"	3735 x 6641	HDTV 16:9	315
0935029	350"	4355 x 7745	HDTV 16:9	360
0940029	400"	4980 x 8855	HDTV 16:9	410
0950029	500"	6225 x 11065	HDTV 16:9	500
0955029	550"	6850 x 12175	HDTV 16:9	545
0960029	600"	7470 x 13280	HDTV 16:9	580
0962029	620"	7720 x 13725	HDTV 16:9	600
0930069	300"	4040 x 6464	16:10	300
0935069	350"	4715 x 7540	16:10	350
0940069	400"	5385 x 8620	16:10	400
0950069	500"	6735 x 10775	16:10	485
0955069	550"	7405 x 11850	16:10	530
0960069	600"	8080 x 12930	16:10	570
0964069	640"	8620 x 13790	16:10	600

Custom Sizes & Formats available upon request.

ElectriCinema SIDE TENSION

The Side Tension system offers the ultimate experience in a motorised projection screen, providing the best possible lay flat with its large diameter roller and side tensioning system to pull the screen flat, suitable for home theatre.

Control

Fully integrated with Connect IP, 12v trigger, contact closure and IR plus the ability to link & group switch with other Connect control devices

BENEFITS

- Excellent lay flat
- Quiet operation
- Reliability




APPLICATIONS

- Home Theatre
- Boardroom Presentations
- Data Projection

PRODUCT FEATURES

- Description:** Designer Style Motorised Projection Screen with Integrated IR Remote Control.
- Head Box:** Powder Coat White as standard with Silver and Black available.
- Surface:** Unity White PVC - Gain 1.0
Refer to page 5 for surface options
- Borders:** 50mm Sides & Bottom with 300mm adjustable top black leader.
- Brackets:** One piece clip-on L bracket suitable for wall or ceiling installation.
- Sizes:** As per the adjacent listing. Custom Sizes & Formats available upon request.
- Roller Diameter:** 80mm Heavy Duty
- Options:** Extra Top leader

Tech Drawing
Hyperlink :




N17821

Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.



Item No	Inch Diagonal	Image mm	Format
0607211-L	72"	1100 x 1465	Video 4:3
0608411-L	84"	1280 x 1705	Video 4:3
0609611-L	96"	1465 x 1950	Video 4:3
0610011-L	100"	1525 x 2035	Video 4:3
0611511-L	115"	1755 x 2340	Video 4:3
0613011-L	130"	1980 x 2640	Video 4:3
0615011-L	150"	2285 x 3050	Video 4:3
0618011-L	180"	2745 x 3660	Video 4:3
0608421-L	84"	1045 x 1860	HDTV 16:9
0609221-L	92"	1145 x 2035	HDTV 16:9
0609621-L	96"	1195 x 2125	HDTV 16:9
0610021-L	100"	1245 x 2215	HDTV 16:9
0611021-L	110"	1370 x 2435	HDTV 16:9
0611521-L	115"	1430 x 2545	HDTV 16:9
0612021-L	120"	1495 x 2655	HDTV 16:9
0613021-L	130"	1615 x 2880	HDTV 16:9
0615021-L	150"	1865 x 3320	HDTV 16:9
0618021-L	180"	2240 x 3985	HDTV 16:9
0608461-L	84"	1130 x 1810	16:10
0609261-L	92"	1240 x 1980	16:10
0609661-L	96"	1295 x 2070	16:10
0610061-L	100"	1345 x 2155	16:10
0611061-L	110"	1480 x 2370	16:10
0612061-L	120"	1615 x 2585	16:10
0613061-L	130"	1750 x 2800	16:10
0614061-L	140"	1884 x 3015	16:10
0615061-L	150"	2020 x 3230	16:10
0618061-L	180"	2425 x 3880	16:10

Custom Sizes & Formats available upon request.



ElectriCinema 235

IN-CEILING SCREEN WITH SIDE MASKING

Designed to work with projectors that utilises Anamorphic Lens technology.

The ElectriCinema 235 you can have the best of both worlds, 2.35:1 Cinemascope for DVD movies and by utilizing the motorised side masking system, reshape the screen to 16:9 HDTV for widescreen TV broadcasts.

Supplied as an integrated in-ceiling solution, with fully paint finished underside, and ceiling edge trims for a single trade install.

With the industry leading CONNECT control system as a standard inclusion, allowing IR control or contact close for integration with control systems, plus the ability to link with other CONNECT devices, such as projector lifts or roller blind systems, this screen has all the bells and whistles.



BENEFITS

- Original Movie Aspect Ratio 2.35:1
- Integrated Side Masking for 16:9
- One Piece In-Ceiling Design
- Flush Sitting Masking with no shadow-line

APPLICATIONS

- Home Theatre



PRODUCT FEATURES

Description: In-ceiling screen system with side masking for dual format Cinemascope to HDTV formats.

Head Box: MDF constructions with fully painted white underside & ceiling edge covers for easy install.

Surface: Radial Cut Edge Unity White PVC Gain 1.0, Refer to page 5 for surface options

Borders: 50mm Sides & Bottom with 500mm adjustable top black leader.


Sizes: 84" to 150" Diagonally, Custom Sizes & Formats available upon request.

Roller Diameter: 80mm Heavy Duty

Options: Side Tension, Extra Top Masking, Underside Paint Colours.

Top Leader: For sizes 100" and under the maximum total top black leader available is 500mm, for screen sizes over 100" the maximum top black leader available is 600mm.

Tech Drawing
Hyperlink :



Item No	Inch Diagonal	Image Size 2.35:1	Image Size 16:9	Weight kg
5608449	84"	835 x 1965	835 x 1485	80
5609249	92"	915 x 2155	915 x 1625	85
5609649	96"	955 x 2245	955 x 1700	90
5610049	100"	995 x 2340	995 x 1770	95
5611049	110"	1095 x 2575	1095 x 1950	100
5612049	120"	1195 x 2810	1195 x 2125	110
5613049	130"	1295 x 3045	1295 x 2305	115
5614049	140"	1395 x 3280	1395 x 2480	125
5615049	150"	1495 x 3515	1495 x 2660	130

Also available in alternate CinemaScope format, e.g 2.40:1 / 2.37:1

Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Custom Sizes & Formats available upon request.

Trapdoor

INTEGRATED IN-CEILING SCREEN

The ultimate way for your screen to be installed in the ceiling! Out of sight until it's time to go to the movies, your screen will magically roll down from the ceiling at the push of a button! With a self closing trapdoor mechanism and fully finished with Interfit ceiling edge cover strip and underside in low sheen white, the Trapdoor Projection screen is an easily fitted, single trade installation unit.

With the industry leading CONNECT control system as a standard inclusion, allowing IR control or contact close for integration with control systems, plus the ability to link with other CONNECT devices, such as projector lifts or roller blind systems, this screen has all the bells and whistles.



BENEFITS

- Hidden Installation
- Quiet Operation
- Automatic Door
- Simple Single Trade Installation




APPLICATIONS

- Home Theatre
- Boardroom Presentation
- Educational Facilities

PRODUCT FEATURES

- Description:** Fully Integrated in Ceiling Screen.
- Head Box:** Painted MDF with Self Closing Door.
- Surface:** Unity White FG - Gain 1.1
Refer to page 5 for surface options
- Borders:** 50mm sides & 300mm Top Leader.
- Brackets:** Captive Nuts 8mm.
- Sizes:** 72" to 140" Diagonal.
Custom Sizes & Formats available upon request.
- Roller Diameter:** 80mm Heavy Duty
- Options:** Side Tension - Extra Top Masking
various control options available.
- Top Leader:** For sizes 100" and under the maximum total top black leader available is 500mm, for screen sizes over 100" the maximum top black leader available is 600mm.

Tech Drawing
Hyperlink :



Item No	Inch Diagonal	Image Size mm	Format	Weight kg
3708419	84"	1280 x 1705	Video 4:3	50
3709619	96"	1465 x 1950	Video 4:3	54
3710019	100"	1525 x 2035	Video 4:3	56
3711519	115"	1755 x 2340	Video 4:3	62
3712519	125"	1905 x 2540	Video 4:3	66
3713019	130"	1980 x 2640	Video 4:3	68
3715019	150"	2285 x 3050	Video 4:3	76
3708429	84"	1045 x 1860	HDTV 16:9	52
3709229	92"	1145 x 2035	HDTV 16:9	56
3709629	96"	1195 x 2125	HDTV 16:9	58
3710029	100"	1245 x 2215	HDTV 16:9	40
3711529	115"	1430 x 2545	HDTV 16:9	66
3712529	125"	1555 x 2770	HDTV 16:9	70
3713029	130"	1615 x 2880	HDTV 16:9	72
3715029	150"	1865 x 3320	HDTV 16:9	78

Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Custom Sizes & Formats available upon request.


Surface Fire Rated

Trapdoor

WITH SIDE TENSION - For the Ultimate Lay-flat

The ultimate way for your screen to be installed in the ceiling! Out of sight until it's time to go to the movies, your screen will magically roll down from the ceiling at the push of a button! With a self closing trapdoor mechanism and fully finished with Interfit ceiling edge cover strip and underside in low sheen white, the Trapdoor Projection screen is an easily fitted, single trade installation unit.

With the industry leading CONNECT control system as a standard inclusion, allowing IR control or contact close for integration with control systems, plus the ability to link with other CONNECT devices, such as projector lifts or roller blind systems, this screen has all the bells and whistles.



BENEFITS

- Hidden Installation
- Quiet Operation
- Automatic Door
- Simple Single Trade Installation



APPLICATIONS

- Home Theatre
- Boardroom Presentation
- Educational Facilities

Item No	Inch Diagonal	Image Size mm	Format
3708411	84"	1280 x 1705	Video 4:3
3709611	96"	1465 x 1950	Video 4:3
3710011	100"	1525 x 2035	Video 4:3
3711511	115"	1755 x 2340	Video 4:3
3712511	125"	1905 x 2540	Video 4:3
3713011	130"	1980 x 2640	Video 4:3
3715011	150"	2285 x 3050	Video 4:3
3708421	84"	1045 x 1860	HDTV 16:9
3709221	92"	1145 x 2035	HDTV 16:9
3709621	96"	1195 x 2125	HDTV 16:9
3710021	100"	1245 x 2215	HDTV 16:9
3711521	115"	1430 x 2545	HDTV 16:9
3712521	125"	1555 x 2770	HDTV 16:9
3713021	130"	1615 x 2880	HDTV 16:9
3715021	150"	1865 x 3320	HDTV 16:9

Please Note: This product is not suitable to be used in conjunction with a Short Throw Projector.

Custom Sizes & Formats available upon request.

PRODUCT FEATURES

- Description: Fully Integrated in Ceiling Screen.
- Head Box: Painted MDF with Self Closing Door.
- Surface: Unity White PVC - Gain 1.0
Refer to page 5 for surface options
- Borders: 50mm sides & 300mm Top Leader.
- Brackets: Captive Nuts 8mm.
- Sizes: 72" to 140" Diagonal.
Custom Sizes & Formats available upon request.
- Roller Diameter: 80mm Heavy Duty
- Options: Extra Top Masking
various control options available.
- Top Leader: Please seek advice from the sales office.

Tech Drawing
Hyperlink :

