

Sharp NEC Display Solutions

## Interactive | Collaboration Displays



## Interactive Displays

#### SHARP BIG PAD HWT Series | Essential

Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
PN-HW431T	43 / 108	350	Infrared	L, P	3 HDMI, VGA
PN-HW501T	50 / 126	350	Infrared	L, P	3 HDMI, VGA



- Pen-on-Paper natural writing experience using passive pen or finger
- Range of Sharp standard software included
- Integrated Mediaplayer



#### **NEC ME IR Series** | Essential

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
ME431 IR	43 / 108	400	Infrared	L, P	2 HDMI, DP
ME501 IR	50 / 126	400	Infrared	L, P	2 HDMI, DP
ME551 IR	55 / 139	400	Infrared	L, P	2 HDMI, DP









- Precise touch technology with up to 20 touch points
- Modern and sleek design
- Scalable thanks to powerful Intel® Smart-Display-Module (Intel® SDM)



#### **NEC M PCAP Series** |

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
M431 PCAP	43 / 108	500	PCAP	L, P, FU	2 HDMI, DP
M491 PCAP	49 / 124	500	PCAP	L, P, FU	2 HDMI, DP
M551 PCAP	55 / 139	500	PCAP	L, P, FU	2 HDMI, DP



24 /







- Easy to clean thanks to bezel-free design
- 24/7 ready operation for demanding usage scenarios
- Scalable thanks to powerful Intel® Smart-Display-Module (Intel® SDM)



#### **NEC M IGB Series** | Professional

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
M551 IGB	55 / 139	500	InGlass™	L, P, FU	2 HDMI, DP
M651 IGB	65 / 164	500	InGlass™	L, P, FU	2 HDMI, DP













- Pen-on-Paper natural writing experience using pen or finger
- Windows Ink support and "Palm Rejection"
- Scalable thanks to powerful Intel® Smart-Display-Module (Intel® SDM)



#### **NEC V IGB Series** | Professional

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
V754Q IGB	75 / 189	350	InGlass™	L, P, FU	3 HDMI, 2x DP
V864Q IGB	86 / 217	350	InGlass™	L, P, FU	3 HDMI, 2x DP













- Pen-on-Paper natural writing experience using pen or finger
- Windows Ink support and "Palm Rejection"
- Scalable thanks to powerful Intel® Open Pluggable Standard (OPS)



### **NEC Du-Co Series** |

#### **Dual Collaboration Room System**



- Combining two displays, an interactive and an identically designed non-interactive display
- Consisting of: Mxx1 IGB + Mxx1 IGB non touch
- Pen-on-Paper natural writing experience on the InGlass™ touch display

## **Collaboration Displays**

#### **NEC CB Series** | Essential

MultiSync® Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
CB651Q-2	65 / 164	350	Infrared	L	3 HDMI, VGA
CB751Q	75 / 189	350	Infrared	L	3 HDMI, VGA
CB861Q	86 / 217	350	Infrared	L	3 HDMI, VGA



- System-on-Chip-PC (SoC) with whiteboard, overlay and wireless-function
- Simple operation with front access to USB ports
- · Easy installation with included wall mount



#### SHARP BIG PAD HC1 Series | Essential

Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
PN-65HC1	65 / 164	400	Infrared	L	2 HDMI, VGA
PN-70HC1E	70 / 177	350	Infrared	L	2 HDMI, VGA
PN-75HC1	75 / 189	350	Infrared	L	2 HDMI, VGA
PN-86HC1	86 / 217	400	Infrared	L	2 HDMI, VGA





- System-on-Chip-PC (SoC) with whiteboard, overlay und wireless-function
- Pen-on-Paper natural writing experience using pen or finger
- Simple operation with front access to major functionalities



#### Orientation: L=Landscape; P=Portrait; FU=Face Up

This document is provided "as is" without warranty of any kind whatsoever, either express or implied. Errors and omissions are excepted.

Sharp NEC Display Solutions Europe GmbH may make changes, revisions or improvements in, or discontinue the supply of any product described or referenced in this document at any time without notice

#### SHARP BIG PAD L2B Series | Midrange

Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
PN-L652B	65 / 164	350	PrecisionTouch	L	3 HDMI, VGA, USB-C
PN-L752B	75 / 189	350	PrecisionTouch	L	3 HDMI, VGA, USB-C
PN-L862B	86 / 217	350	PrecisionTouch	L	3 HDMI, VGA, USB-C



- Pen-on-Paper natural writing experience using pen or finger
- Android (SoC) with whiteboard, overlay and wireless-function
- Bring your own Meeting (BYOM) via USB-C port
- Optional AV soundbar to support hybrid meetings



#### **NEC WD Series** | Windows Collaboration Display

MultiSync <sup>®</sup> Model	ize inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
WD551	55 / 139	400	PCAP	L	HDMI, 2 USB-C









- Built-in camera, microphone and speaker for video meetings
- Bring your own Meeting (BYOM) for instant sharing of content via the USB cable
- Integrated IoT room sensors and automatic wake-up function



## SHARP BIG PAD CD Series | Windows Collaboration Display

Model	Size inch/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
PN-CD701	70 / 177	350	PCAP	L	HDMI, 2 USB-C









- Built-in camera, microphone and speaker for video meetings
- Bring your own Meeting (BYOM) for instant sharing of content via the USB cable
- Integrated IoT room sensors and automatic wake-up function



#### **NEC InfinityBoard®** | Collaboration Solutions

MultiSync <sup>®</sup> Model	Size Zoll/cm	Brightness in cd/m²	Touch Technology	Orientation	Connectivity
75" NEC InfinityBoard®	75 / 191	500	InGlass™	L, P, FU	4x USB 3
86" NEC InfinityBoard®	86 / 217	500	InGlass™	L, P, FU	4x USB 3











- Create, communicate, collaborate
- Integrated Huddly IQ and high-end speakers for video meetings
- Pen-on-Paper natural writing experience using pen or finger
- Available with Quicklaunch™ meeting room interface for one-click-join



# Free FlatFrog Board software with all NEC InGlass™ touch displays

Improve your productivity – download your free FlatFrog Board collaborative whiteboard software to increase efficiency during your meetings.

Free download of FlatFrog Board software: www.flatfrog.com/nec

### AirServer® Embedded Screen Mirroring Solution

The ME and M series models combine professional-class display technology with intuitive screen sharing for meeting rooms and huddle spaces. With AirServer®, the LFDs become the universal receiving device for the user's content (from Mac or PC, iPhone, iPad, Android or Chromebook). AirServer® is a complete wireless presentation solution. No need for apps, cables or dongles to connect.

### Quicklaunch™ for better Meetings

The fastest and most secure way to launch any meeting regardless of conferencing provider. Quicklaunch™ provides an intuitive user experience for joining any meeting with one touch – supporting all digital platforms, including Zoom, Google Meet and Microsoft Teams. Quicklaunch user interface offers one-click to start meetings, share devices and launch apps.

Document Name: Interactive | Collaboration Displays

Pocket Guide

Document Revision: Edition 1, 2022

Document Date: 5/22

For more information visit us at www.sharpnecdisplays.eu